

## WHAT IS CLAIMED IS:

1. An operation guidance method of clinical system for testing samples such as blood and urine, comprising the steps of:

sorting works to be performed with guidance in accordance

5 with a procedure of operation by a laboratory technician;

displaying a menu of sorted works on an initial screen;

and

providing guidance on operation by sequentially displaying images as operation guidance on respective works in accordance with said procedure of operation.

2. An operation guidance method of clinical system for testing samples such as blood and urine, comprising the steps of:

sorting works to be performed with guidance in accordance

15 with a procedure of operation by a laboratory technician;

displaying a menu of sorted works on an initial screen;

and

when one of works is selected from said menu, displaying a display image as guidance on the work.

20 3. The operation guidance method of clinical system according to claim 1, wherein the display image as guidance on the work has an image for operation guidance on one or plural items, and wherein when a displayed item is selected, a display image of ancillary information on the item is displayed as operation guidance.

4. The operation guidance method of clinical system according

to claim 3, wherein said display image of ancillary information is customized by user.

5 5. The operation guidance method of clinical system according to claim 3, wherein said image for operation guidance on one or plural items is an image of guidance on the outline of work, and wherein when said display image as guidance on the work is displayed, details of operation guidance on said one or plural items are notified by voice.

10 6. The operation guidance method of clinical system according to claim 5, wherein when said display image of ancillary information for operation guidance on the work is displayed, detailed operation guidance is made by voice.

15 7. The operation guidance method of clinical system according to claim 5, wherein said operation guidance by voice is made at arbitrary time by selection of a voice reproduction button displayed in the display image.

20 8. An operation guidance method of clinical system for testing samples such as blood and urine, comprising the steps of:

sorting works to be performed with guidance in accordance with a procedure of operation by a laboratory technician;

25 displaying a menu of sorted works on an initial screen; providing guidance on operation by sequentially displaying images as operation guidance on respective works in accordance with said procedure of operation; and

if an image displayed as operation guidance is a display image for confirming, continuing operation guidance by displaying a display image for the next operation guidance by selecting a check button displayed in the display image.

5

9. The operation guidance method of clinical system according to claim 1, wherein said initial screen is called and displayed by selection of a navigation program icon in a task bar displayed in a display image that can be operated by only the laboratory technician.

10

11. The operation guidance method of clinical system according to claim 1, wherein said initial screen is called and displayed by selection of a navigation program icon in a task bar displayed in a display image that can be operated by only the laboratory technician.